

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	13109	engine\$1 and (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or sens\$3 or detect\$3) and magnet\$1	USPAT	2005/12/11 12:48
2	BRS	L3	0	1 and 2	USPAT	2005/12/11 12:42
3	IS&R	L1	5	((("4548780") or ("5106202") or ("3044296") or ("5024714"))).PN.	USPAT; USOCR	2005/12/11 12:42
4	BRS	L4	748	engine\$1 near15 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near15 (secur\$3 or fasten\$3 or attach\$3)	USPAT	2005/12/11 13:30
5	BRS	L5	277	4 and temperature\$1 near15 engine\$1 and (control\$4 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "ASIC") near15 ("heat sensor" or detect\$3 or sens\$3)	USPAT	2005/12/11 13:02
6	BRS	L6	154	5 and (speaker\$1 or alarm\$3 or alert\$3 or warn\$3 or sound\$3 or audible\$1 or display\$3 or visual or message\$1 or light\$3 or light\$3)	USPAT	2005/12/11 13:01
7	BRS	L7	8	6 and ("heat sensor" or detect\$3 or sens\$3) near25 (outside or exterior or outer) near25 engine\$1	USPAT	2005/12/11 13:05
8	BRS	L8	971	engine\$1 near15 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near15 (secur\$3 or fasten\$3 or attach\$3)	US-PGPUB; USPAT	2005/12/11 14:21

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	16	8 and (monitor\$3 or detect\$3 or sens\$3 or identiy or determin\$3 or verify or measur\$3) near15 temperature\$1 near15 engine\$1 and "overheat"	US-PGPUB; USPAT	2005/12/11 14:24
10	BRS	L10	0	9 and (340/411 or 340/441)	US-PGPUB; USPAT	2005/12/11 13:54
11	BRS	L11	0	9 and (340/449 or 340/450)	US-PGPUB; USPAT	2005/12/11 14:19
12	BRS	L12	0	9 and (340/650 or 340/685)	US-PGPUB; USPAT	2005/12/11 15:45
13	BRS	L13	3	9 and (123/41.15 or 123/421)	US-PGPUB; USPAT	2005/12/11 14:16
14	BRS	L14	4	9 and (123/335 or 123/417)	US-PGPUB; USPAT	2005/12/11 14:16
15	BRS	L15	0	9 and (340/500 or 340/507)	US-PGPUB; USPAT	2005/12/11 14:19
16	BRS	L16	0	9 and (374/124 or 374/130)	US-PGPUB; USPAT	2005/12/11 14:19
17	BRS	L17	0	9 and (374/144 or 374/163)	US-PGPUB; USPAT	2005/12/11 14:20
18	BRS	L18	0	9 and (73/346 or 73/22R)	US-PGPUB; USPAT	2005/12/11 14:20
19	BRS	L19	1031	engine\$1 near25 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near25 (secur\$3 or fasten\$3 or attach\$3)	US-PGPUB; USPAT	2005/12/11 14:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
20	BRS	L20	304	(temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") near15 (level\$1 or degree\$1 or intensity) and 19	US-PGPUB; USPAT	2005/12/11 14:23
21	BRS	L21	96	20 and (monitor\$3 or detect\$3 or sens\$3 or identiy or determin\$3 or verify or measur\$3) near15 temperature\$1 near15 engine\$1	US-PGPUB; USPAT	2005/12/11 14:25
22	BRS	L22	7	21 and "340"/\$.ccls.	US-PGPUB; USPAT	2005/12/11 14:28
23	BRS	L23	43	21 and "123"/\$.ccls.	US-PGPUB; USPAT	2005/12/11 14:32
24	BRS	L24	1	21 and "374"/\$.ccls.	US-PGPUB; USPAT	2005/12/11 14:32
25	BRS	L25	0	9 and (340/426.15 or 340/438)	US-PGPUB; USPAT	2005/12/11 15:46
26	BRS	L26	1	21 and (340/426.15 or 340/438)	US-PGPUB; USPAT	2005/12/11 15:46
27	BRS	L27	0	21 and (340/458 or 340/459)	US-PGPUB; USPAT	2005/12/11 15:51
28	BRS	L28	0	21 and 340/870.17	US-PGPUB; USPAT	2005/12/11 15:49
29	BRS	L29	0	9 and 340/870.17	US-PGPUB; USPAT	2005/12/11 15:49
30	BRS	L30	1	(21 or 9) and (340/581 or 340/584)	US-PGPUB; USPAT	2005/12/11 15:53
31	BRS	L31	0	(21 or 9) and (340/588 or 340/589)	US-PGPUB; USPAT	2005/12/11 15:53